

# Benchmarking performance for Neo4j in a Social Media Application

by

Michael Sheroubi

Supervisor: Dr. Ramon Lawrence

The Irving K. Barber School of Arts and Sciences

Undergraduate Degree in Bachelor of Science

Honours Major in Computer Sciences

And

Minor in Mathematics

The University of British Columbia – Okanagan Campus

April 2020

Revised December 2022

## **Abstract**

Starting around the mid-late 2000s, ACID compliant graph databases such as Neo4j began being used to optimize data retrieval in use cases where relational databases struggled. This paper attempts to benchmark the performance of two widely used databases, one from each category, for a social media application. Logging the process from data modelling and generation to writing queries to answer real questions. The performance of the queries is evaluated based on the rate of increase in time as the sample sizes grow. Concluding that the relational database is faster at a small scale, but the rate of increase is slower for the graph database, meaning that a point exists at a sufficiently large sample size where the graph database becomes more efficient.

# Table of Contents

<b>Abstract</b> .....	2
<b>Table of Contents</b> .....	3
<b>1. Introduction</b> .....	4
<b>2. Background</b> .....	4
2.1 Introduction to Graph Theory .....	4
2.2 The Labeled Property Graph Model .....	5
2.2 Overview of Graph Databases .....	6
2.3 YCSB .....	6
<b>3. Social Media Application</b> .....	7
3.1 Project Summary.....	7
3.2 ER Diagrams.....	7
3.2.1 Original Design.....	7
3.2.2 Updated Version .....	8
<b>4. Data Modelling</b> .....	9
4.1 Mapping Relational to Graph Model .....	9
4.2 Sample Data .....	11
4.3 Data Generation .....	13
4.4 Data Loading.....	13
<b>5. Testing and Results</b> .....	14
5.1 Inserting Data.....	14
5.2 Queries .....	15
Q0 - Find specific User by user_id .....	15
Q1 - Find all users with matching interests to user with specific user_id .....	15
Q2 - Find all friends of a User (One-Way Relationship).....	16
Q3 - Find all the Groups that a User's friends are in.....	16
Q4 - Find All Users Y attending an Event E hosted by any Group G that a User X is a member of.....	17
Q5 - Find the interests of any user that is attending any events hosted by any groups that share any interest(s) with a user X.....	17
<b>6. Conclusions and Future Work</b> .....	19
<b>Bibliography</b> .....	19

# 1. Introduction

There has been a rise in NoSQL databases over the last few years. More developers are realising that the relational model can be limiting or suboptimal for their applications. This led to the formation of many different methods of storing data. One of these methods revolves around utilizing a graph model derived from graph theory. This is the Graph Database.

Released in 2007, Neo4j is an open-source, NoSQL, graph database created to efficiently utilize the property graph model as a means of storage. Graph databases are meant to excel at managing highly connected data and managing complicated queries [1], allowing for quick traversal between adjacent nodes and easy visualization of the data structure. With its own query language, CYPHER, Neo4j queries are designed to be visually intuitive and simple to create. We will explore how Neo4j's graph approach to storing data and querying data performs in its ideal setting and compare its performance with a relational database.

## 2. Background

### 2.1 Introduction to Graph Theory

Graph Theory is a field of mathematics that has been heavily integrated into various software applications. First noted in 1736 when Leonhard Euler, a swiss mathematician, worked on solving the *Seven Bridges of Königsberg* problem [2]. Given four landmasses separated by a river and connected with seven bridges (Figure 1), is there a path where one can cross every bridge exactly once? While a solution does not exist, Euler's proof for its non-existence is the foundation for graph theory.

Graphs represent entities as nodes/vertices and the ways in which those entities relate to other entities as relationships/edges. Mapping the seven bridges problem to a graph of this form with each landmass as a node and each bridge as relationship.




Figure 1. Seven Bridges of Königsberg




Figure 2. Königsberg problem as a graph

By the definition of the problem, Euler deduced that every node must have an even number of edges connected to it, one to enter the node and one to leave it, with the exception of the first and last nodes (def. *Eulerian Path*). Since each node in this problem has an odd number of edges, a solution cannot exist.

This proof established the foundation for what is now known as graph theory. Now, graph theory is an important field of study in Computer Science and Mathematics. It has a variety of real-world applications with many books and resources available that dive deeper into the subject matter.

## 2.2 The Labeled Property Graph Model

For our application, we will be focusing on the Labeled Property graph model, a graph model where nodes can contain properties as key-value pairs and nodes can have one or more labels. In this model, relationships can also contain properties as key-value pairs, have labels and directions, but they must always have a node on both ends. The labels on the nodes and relationships make it easy to draw the context from the data [3].




Figure 3. Example graph of User nodes and their relationships

## 2.2 Overview of Graph Databases

A graph database is a database that is designed to store data using the graph model. By definition, a graph database is any database where connected elements are linked together without an index or key.




Figure 4. Comparing Data Models (<https://www.nextplatform.com/2018/09/19/the-graph-database-poised-to-pounce-on-the-mainstream/>)

A graph database is a NoSQL database designed to work around certain limitations in relational databases. Graph databases allow quick and easy retrieval of data from complex data structures. Traversing relationships in a graph database is fast because the relationship between nodes are not calculated at query times but are persisted in the database. See *The Power of Graph Databases* in O'Reilly's *Graph Databases: 2<sup>nd</sup> Edition*.

## 2.3 YCSB

**Yahoo! Cloud Serving Benchmark (YCSB)** is an open-source framework most used for evaluating the capabilities of NoSQL database management systems. This framework runs a set of workloads to evaluate their performance. While it does have a support for various existing NoSQL databases, it does not have support for Neo4j. More can be found here:

(<https://github.com/brianfrankcooper/YCSB/wiki>).

### 3. Social Media Application

#### 3.1 Project Summary

This project is based off a real social media application that a colleague was developing. This social media site is designed to match and connect people from communities that share similar interests. Users can find groups that match specific interests and similarly can find events for a given interest. However, the main goal is to connect users with similar interests.

Each user is prompted to input their interests and location, and an algorithm matches users by interests and proximity. Users can join Groups, attend Events and become friends with other Users. This project will focus on the database aspect of this social media site. It will encompass the data modelling, application architecture decisions, testing, capacity planning, and importing/loading of bulk data (and in this case data generation). After the database is setup, the focus will shift towards designing ad hoc queries (“saved cypher queries”) to answer questions posed by the social media (e.g. matching common interests). This project does **not** examine the integration of the database into the website or any front-end programming.

#### 3.2 ER Diagrams

##### 3.2.1 Original Design




Figure 5. Original ER Diagram made for the application

This ER diagram is made from the DDL schema file I first received for the project. There were attributes in some entities that were only needed for production. The cardinalities between the entities were not defined.

### 3.2.2 Updated Version




Figure 6. Updated ER Diagram designed for the purpose of this thesis

This is an updated ER diagram designed to fit the requirements for the testing for the purposes of this thesis. The bottom entities are referencing the same entities as the main diagram, but showing how each entity relates to itself (Done to keep the diagram clean and easy to read).

## 4. Data Modelling

### 4.1 Mapping Relational to Graph Model

The following table shows each relation in the relational database from the original design, along with its role in a graph-model. If more than one type is present, then there are two possibilities with the first one being more favored. This table is later trimmed to fit the updated version of the design.

<b>Relation</b>	<b>Type</b>	<b>Dependency</b>	<b>Purpose</b>
<b>Users</b>	Node	N/A	Holds User data
<b>Feedbacks</b>	Node/Property	User	User feedback on site
<b>Posts</b>	Node/Relationship	User	User's personal posts
<b>Comments</b>	Relationship	Post, User	Comments on a User Post
<b>Conversations</b>	Relationship	Users	User-to-User Conversations
<b>Messages</b>	Property	Conversation	Content of Conversations
<b>Friendships</b>	Relationship	Users	User-to-User
<b>Relationships</b>	Relationship	Users	User-to-User
<b>Interests</b>	Node	User?	Interest Information
<b>Interest Relationships to Groups</b>	Relationship	Interest, Group	Interest-to-Group
<b>Interest Relationships to Events</b>	Relationship	Interest, Event	Interest-to-Event
<b>Interest Relationships</b>	Relationship	Interests	Interest-to-Interest
<b>Groups</b>	Node/Label	User?	Group Users
<b>Groups Relationships</b>	Relationship	Groups	Group-to-Group
<b>Group Posts</b>	Node/Relationship	Group, User	Posts made to group
<b>Group Comments</b>	Relationship	Group Post, User	Comments on Group Post
<b>Events</b>	Node	Group, User	Event information hosted by a Group & User
<b>Event Notifications</b>	Relationship	Event, User	Notifications for Users about events

<b>Relation</b>	<b>Type</b>	<b>Dependency</b>	<b>Purpose</b>
<b>Notification Events</b>	Relationship	Users, Event	User-to-User event invitation notification
<b>Event Relationships</b>	Relationship	Events	Event-to-Event relationship
<b>Event Posts</b>	Property/Node	Event, User	Users posts under Events
<b>*Friendly ID Slugs</b>	Node	N/A	ID-to-String URL Addon

## Graph Modelling

The graph model of this relational database will have these two main components:

- Nodes
  - Users
  - Groups
  - Events
  - Interests
  - Posts
  
- Relationships
  - Comments
  - Converses
  - Notifies
  - Creates
  - Etc.

## 4.2 Sample Data

### Relational Model

#### Users

	user_id	user_name	name	address	city	email	created_at	is_admin
1	1	fmclaughlin	Kathleen Ramos	PSC 5528, Box 3510	APO AP 18631	hwinters@yahoo.com	2020-01-27 05:56:42.000	0
2	2	rebekeh94	Adam White	93029 King Lights	Jenkinsmouth	xwilson@yahoo.com	2020-01-28 04:44:26.000	0
3	3	brianperez	Jeffrey Hartman	5521 Espinoza Lakes	Bradleyland	mgonzalez@gmail.com	2020-03-01 10:41:59.000	0
4	4	monroeandrea	Christine Frank	18590 Michael Points	Harrisonton	pottsmay@gmail.com	2020-03-06 06:10:16.000	0
5	5	gpacc	Steven Calderon	5864 Klein Shoals Suite 108	West Jamesfort	greensean@gmail.com	2020-01-22 20:35:43.000	0
6	6	robert93	Sara Garcia	106 Rios Crest	Lischester	christopher96@hotmail.com	2020-02-27 15:51:57.000	0
7	7	jenniferwood	David Costa	864 Huang Plaza Apt. 863	Port Williammouth	ucampos@yahoo.com	2020-01-07 00:11:21.000	0
8	8	james00	Crystal Alexan...	4726 Jones Circles Apt. 133	Nancystad	snowjoseph@yahoo.com	2020-02-27 23:11:00.000	0
9	9	rshelton	Amanda Roberts	31769 Cook Tunnel Apt. 1...	Lake Jamesville	kennethwoods@gmail.com	2020-01-04 04:27:03.000	0
10	10	hallanthony	David Carson	8884 Patrick Village Apt. 9...	Greerhaven	nccline@gmail.com	2020-02-25 03:02:48.000	0
11	11	trujillomathew	Timothy Dunlap	7582 David Place Apt. 799	Port Stephen	brandonyates@gmail.com	2020-02-20 08:01:50.000	0
12	12	logan58	Courtney Fitzg...	597 Evan Fields Apt. 903	New Joshuamo...	crystal62@gmail.com	2020-02-13 06:35:12.000	0
13	13	david01	Diane Lambert	84163 Pamela Orchard Ap...	West Tiffany	tiffany02@yahoo.com	2020-01-08 13:21:25.000	0
14	14	alexishuerta	Mr. Robert My...	95630 Daniel Street Apt. 1...	Fisherston	jessica15@yahoo.com	2020-02-29 16:57:18.000	0
15	15	mooremary	Molly Smith	PSC 0644, Box 0048	APO AP 04432	mclaughlinmark@gmail.com	2020-03-03 22:39:34.000	0
16	16	normanjoseph	Scott Bradley	13231 Sandra Forks Apt. ...	South Joshua	williamstrada@hotmail.com	2020-01-22 13:29:32.000	0

#### Events

	event_id	user_id	group_id	event_name	description	created_at	event_start	event_end	address	city
1	1	53	NULL	Geocaching Biding	Evidence person indicate. Phone she past leave w...	2020-02-01 03:10:14.000	2020-02-12 21:31:04.000	2020-03-13 01:43:46.000	54101 Morgan Extension Suite 746	New Jennferport
2	2	127	NULL	Skimboarding Fooling	View rule education soon fish. Age figure environme...	2020-02-17 11:07:23.000	2020-03-10 16:29:50.000	2020-03-11 02:11:36.000	4087 Johnson Rapids	New Richardhaven
3	3	9	NULL	Rockets Sticking	Defense represent yeah them. List most morning fed...	2020-01-14 04:57:27.000	2020-02-02 17:34:55.000	2020-03-10 10:47:33.000	447 Michael Parkway	Andreaside
4	4	10	NULL	Cigar Smoking Inlaying	Hour establish wife foreign what. Stop hair myself i...	2020-01-13 23:26:25.000	2020-02-14 17:28:16.000	2020-03-05 22:41:40.000	009 Todd Points Apt. 250	Thompsonland
5	5	NULL	50	Slacklining Calling	Word stock break tsef. Rule join sure card already...	2020-01-07 10:14:35.000	2020-03-11 07:33:09.000	2020-03-11 20:53:00.000	71900 Lee Ridges Sute 140	West Michaelville
6	6	NULL	39	Internet Playing	Student beautiful create woman table impact. Team...	2020-01-26 00:16:03.000	2020-01-30 06:11:47.000	2020-02-23 14:27:52.000	2803 Occornor Fall Sute 788	Port Thomas
7	7	NULL	21	Knapping Jaling	May maybe during in that seven thought garden. Se...	2020-01-11 21:31:40.000	2020-02-03 13:30:14.000	2020-02-18 19:42:47.000	USNS Hams	FPO AE 15270
8	8	NULL	11	Tombstone Rubbing Expecting	Improve down apply we kid. Hit price then dream si...	2020-02-20 04:50:38.000	2020-03-14 08:50:19.000	2020-03-14 13:11:20.000	881 Jonathan Mission	South Charlesmouth
9	9	NULL	25	Spelunkering Shrinking	Letter character mind suddenly city. Already underse...	2020-03-07 23:18:17.000	2020-03-14 05:09:56.000	2020-03-15 00:20:12.000	55628 Isabel Shoal Sute 741	South Juanhaven
10	10	235	NULL	Glassblowing Raining	Base democratic not than sister much thousand.	2020-02-23 13:55:04.000	2020-03-14 23:11:46.000	2020-03-15 00:28:06.000	2715 Lance Trafficway	Port Tiffanyfort
11	11	17	NULL	Four Wheeling Biding	Spring truth building road team. Direction reveal que...	2020-02-28 16:06:31.000	2020-02-29 04:33:50.000	2020-03-09 23:32:59.000	9654 William Hills Sute 575	Emilyview
12	12	NULL	30	Field hockey Huming	Medical grow number thousand through role behind...	2020-02-03 08:49:57.000	2020-02-13 22:45:24.000	2020-03-13 12:27:57.000	6839 Taylor Villages Sute 919	Nelsonchester
13	13	232	NULL	Rock Collecting Presetting	Card sing year film happy parent pull baby. Reflect b...	2020-02-02 11:12:26.000	2020-02-17 05:54:11.000	2020-02-18 15:34:55.000	Unit 6541 Box 5812	DPO AA 60135
14	14	170	NULL	Stom Chasing Sensing	Anything lead seem may stock. Street decide life sig...	2020-02-15 21:20:40.000	2020-03-06 08:21:16.000	2020-03-11 12:45:44.000	3907 Addiana Spring Apt. 738	Smithberg
15	15	2	NULL	Ice skating Gluing	Account allow subject husband. Toward security yo...	2020-01-11 01:04:31.000	2020-02-17 00:27:26.000	2020-03-10 02:02:13.000	Unit 3003 Box 6429	DPO AE 37249
16	16	134	NULL	Rugby league football Critiquing	Responsibility name modern field dog crime. Charge...	2020-02-26 08:23:40.000	2020-03-12 05:36:12.000	2020-03-15 06:53:27.000	822 Mcintosh Roads	East Guyport


#### Groups

	group_id	user_id	group_name	description	created_at
1	1	131	Ring Step Group	Thousand continue billion up church lawyer generat...	2020-02-03 03:39:57.000
2	2	70	Page Dream Group	Head war clearly office indeed. Capital apply just ret...	2020-01-20 03:52:15.000
3	3	73	Cold Daughter Team	Situation card main environmental product. Child sel...	2020-02-13 08:27:19.000
4	4	22	Help Bit Group	Alone rest most improve remember with. Brother seri...	2020-02-06 03:58:43.000
5	5	44	Yard Sugar Fans	Business fall occur response player simple ok. Brea...	2020-02-12 13:27:40.000
6	6	187	Result Sex Team	Reality well environmental financial. Modern all bet...	2020-02-02 16:17:35.000
7	7	119	Chance Love Group	Sound pattern knowledge agency while country aff...	2020-01-11 18:08:05.000
8	8	63	Picture South Team	Floor even agent poor cause. Leg deep late last. E...	2020-02-16 02:26:55.000
9	9	198	Act Teach Team	Bad act sit. Goal long think single behind camera re...	2020-03-08 18:37:24.000
10	10	241	Nation Steal Group	Situation type record whole east traditional. One trut...	2020-02-14 14:23:01.000
11	11	49	Number Length Fans	Concern project instead food. Investment contain m...	2020-02-23 13:56:37.000
12	12	129	Run Page Team	Expect indicate budget generation worry exist they ...	2020-03-09 22:29:07.000
13	13	100	Break Length Group	Network human trial this usually method against bes...	2020-03-13 12:43:54.000
14	14	217	Opposite King Group	Oil fall down door compare wrong. Blue billion back....	2020-01-11 13:33:52.000
15	15	73	Substance Class Team	Believe wonder guy service above into. Those sprin...	2020-02-22 09:21:10.000
16	16	241	Salt Hand Group	Force method often television big response phone. ...	2020-01-14 19:24:57.000


Figures 7, 8, 9. Sample data taken from SQL Server after data generation and loading

# Graph Model


Node - User



Relationship- Has



Figures 10, 11, 12. Sample data taken from Neo4j after data generation and loading



Query: `"MATCH p=()-[r:hasInterest]->() RETURN p LIMIT 25"`

## 4.3 Data Generation

### Data Generation Script

Language: Python 3 Libraries: Faker, random

Dependencies: common-verbs.txt common-nouns.txt common-interests.txt

The data generation is divided up into different functions, each responsible for generating data for a specific table or node. Some cypher relationships are generated alongside the nodes they connect to ensure consistency between SQL Foreign keys and Cypher relationships. Each function can take a set of parameters; (n) is the number of tuples the function should create, (x, y, z) each holds the number of one of (Users, Groups, Events, Interests, Posts) to make sure that a relationship or foreign key does not reference a node that does not exist. Each table/node is indexed by an auto-incremented integer. The script creates three files: `sql_file`, `cypher_node_file`, `cypher_rel_file`. The first contains the INSERTS for every table to watch for dependencies. The `cypher_node_file` contains the CREATE node statements for every node, and the `cypher_rel_file` contains the MATCH CREATE statements that match the two nodes to connect, then creates a relationship between them. The final function header generates All Data takes in a number for each table and generates the data accordingly.

#### Relational Model

DBMS: SQL SERVER Management Studio

Host: localhost

Related Files: `sql_data.sql`

#### Graph Model

DBMS: Neo4J Browser

Host: localhost

Related Files: `cypher_node_data.cql` `cypher_rel_data.cql`

#### TEST CASE

Users: 250 | Groups: 50 | Interests: 100 | Events: 100 | Posts: 500 | isMember: 500 | areFriends: 500 | comments: 750 | hasInterest: 1000 | isAttending: 500 | messages: 750 |

#### NOTES

- Data loads/insertion is exponentially faster in SQL Server than Neo4j
- Creating 100 nodes in Neo4j using browser took about 2 minutes
- Creating 365 relationships in Neo4j using its browser took 50+ minutes (55:11) – Don't use Neo4j Browser

## 4.4 Data Loading

As part of the testing script, the data was loaded into the SQL Server instance and the Neo4j graph in increments while recording run-time per transaction and other factors. In total, up to 1000000 (1e6) rows of data are generated for each database. There was a slight disparity in the number of row rows of data that is mainly attributed to foreign keys not counting as a full row of data in the relational model, as opposed to in the graph model, a relationship still must be defined even if it has no parameters. Therefore, some relationships were added as separate transactions into the Neo4j inserts.

## 5. Testing and Results

The following results are measuring the time (in milliseconds) to execute groups of transactions. The time displayed is an average calculated from repeating the same test 6 times.

### 5.1 Inserting Data

Loading data into SQL Server takes monumentally less time than loading into Neo4j. The time grows linearly with the sample size for SQL and grows exponentially for Neo4j.

<b>ID</b>	<b>SIZE</b>	<b>DL-N (ms)</b>	<b>DL-R (ms)</b>
Neo4j	5000	14907.25	102017.75
Neo4j	10000	34749.5	411975.5
Neo4j	100000	453342.5	2156188.5
Neo4j	1000000	FAILED	FAILED
<b>ID</b>	<b>SIZE</b>	<b>DL (ms)</b>	
SQL	5000	6830.25	-
SQL	10000	6324.333333	-
SQL	100000	72904.8	-
SQL	1000000	685242	-

## 5.2 Query Results

The times shown in the charts below are different for Neo4j and SQL. The points for Neo4j show the time per query, while the points for SQL show time per 100 queries. For the sample sizes used, there is no doubt that SQL is far more efficient. But as the application starts to scale, we want to know how each model will perform. So, we scaled the SQL times up to be able to plot both the Neo4j and SQL times on the same charts.

The list of queries used are attached at the end of this paper.

### Q0 - Find specific User using user\_id




Figure 14.

The first query is to establish a baseline for each model on how long it takes to find data given a unique index.

### Q1 - Find users with matching interests to user with specific user\_id




Figure 15.

For this query, we begin to match different entities and their relationships. This is a basic graph traversal question of finding user nodes that are adjacent (have a relationship) to the same interest.

### Q2 - Find friends of a User (One-Way Relationship)




Figure 16.

This query is a setup for the next three queries. It is a simple query to find all adjacent user nodes to a user with the relationship “is Friends With”. This is a one-way relationship.

### Q3 – Find Groups containing a friend of User





Figure 17.

A step up from Q3 appending an extra layer to the path.


**Q4 - Find All Users Y attending an Event E hosted by any Group G that a User X is a member of**



**Figure 18.**

This query asks another graph traversal question, this time to find paths with a degree of 4.

**Q5 - Find the interests of any user that is attending any events hosted by any groups that share any interest(s) with a user X**



**Figure 19.**

This is another graph traversal question, this time finding a path with a degree of 5.

## Notes

- The slow query times for Neo4j can be attributed to the python neo4j-driver and iterating over the result set. Measuring the query execution time sans iterating over the results returned much faster results.
- Neo4j struggles with cold starts, the first query executed from new session takes substantially longer time to execute. Neo4j recommends warming up the cache by iterating over the whole graph at the start of the session. This was not done as it did not seem like a practical solution.
- Neo4j excels at executing multiple queries to find results adjacent to the same pointer node. Like the last point, this could be attributed to the cache being “warmed up”.
- Iterating over the result set from SQL queries barely increases the time from the query execution time alone.
- Neither SQL nor Cypher queries were heavily optimized. Some queries may have the potential to run faster.
- SQL Server is far more optimized to run locally than Neo4j. Both should have been deployed to a server for more accurate results.

## 6. Conclusions and Future Work

The relational model may be far more efficient for small to mid-sized applications. Both inserting and querying anything less than 100,000 rows in SQL Server is exponentially faster. However, queries using the graph model scale much more effectively as databases grow and queries become more complex. The initial run-time disparity could be attributed to several factors within the test environment. Taking away that disparity and comparing the run-time complexity (how run-time compares to database size), we can conclude that Neo4j and the graph model outperform SQL Server and its relational model, in querying data but is slower when it comes to loading it.

In the future, larger sample sizes can be used to validate or disprove the trends shown in these test results. The testing process could be refined and standardized to support other databases. YCSB support for neo4j could allow for a more uniform performance benchmark against other NoSQL Databases. The range of tests can be expanded to include more performance metrics other than time, such as memory usage. More queries can be added to encompass a wider variety of use case questions.

## Bibliography

- [\*] Ian Robinson, Jim Webber & Emil Eifrem (2015) *Graph Databases: 2<sup>nd</sup> Edition*, O'Reilly
- [1] NEO4J *What is a Graph Database?* (Online), <https://neo4j.com/developer/graph-database/>. Accessed 2020.
- [2] Levin, Oscar *Discrete Mathematics: An Open Introduction* (Online), [http://discrete.openmathbooks.org/dmoi2/ch\\_graphtheory.html](http://discrete.openmathbooks.org/dmoi2/ch_graphtheory.html). Accessed 2020.
- [3] Frisendal, Thomas *Property Graphs Explained* (Online), <http://graphdatamodeling.com/Graph%20Data%20Modeling/GraphDataModeling/page/PropertyGraphs.html>. Accessed 2020.

## Queries

Q0:

```
SQL - SELECT * FROM Users WHERE user_id = {};
CYPHER - MATCH (u:User) WHERE u.user_id = {} RETURN u;
```

Q1:

```
SQL - SELECT Y.name FROM Users AS X, Users as Y, User_to_Interest as UI
WHERE X.user_id = 3 AND X.user_id = UI.user_id AND Y.user_id IN (SELECT
SUI.user_id FROM User_to_Interest as SUI WHERE SUI.interest_id =
UI.interest_id AND NOT SUI.user_id = X.user_id);
CYPHER - MATCH (x:User)-[:hasInterest]->(i:Interest)<-[:hasInterest]-
(y:User) WHERE x.user_id = 3 RETURN y;
```

Q2:

```
SQL - SELECT U.user_name FROM Users as U, isFriendsWith as IFW
WHERE IFW.user_id = {} AND IFW.friend_id = U.user_id;
CYPHER - MATCH (x:User), (y:User) WHERE x.user_id = {} AND (x)-
[:isFriendsWith]->(y) RETURN y;
```

Q3:

```
SQL - SELECT DISTINCT G.group_name FROM Users as U, Groups as G,
isFriendsWith as IFW, isMember as IM WHERE U.user_id = {} AND
G.group_id = IM.group_id AND U.user_id = IFW.user_id AND IFW.friend_id
= IM.user_id;
CYPHER - MATCH (x:User)-[:isFriendsWith]->(y:User)-[:isMember]-
>(g:Group) WHERE x.user_id = 250 RETURN g;
```

Q4:

```
SQL - SELECT U.user_name FROM Users as U, Events as E, isMember as IM,
isAttending as IA WHERE IM.user_id = 245 AND E.group_id = IM.group_id
AND IA.event_id = E.event_id AND IA.user_id = U.user_id;
CYPHER - MATCH (u:User)-[r:isMember]->(g:Group)-[c:creates]-
>(e:Event)<-[:isAttending]->(y:User) WHERE u.user_id = 245 RETURN y;
```

Q5:

```
SQL - SELECT DISTINCT I.interest_name FROM User_to_Interest as UI,
Group_to_Interest as GI, Events as E, isAttending as IA, User_to_Interest
as UI2, Interests as I WHERE UI.user_id = 2 AND UI.interest_id =
GI.interest_id AND E.group_id = GI.group_id AND IA.event_id = E.event_id
AND IA.user_id = UI2.user_id AND UI2.interest_id = I.interest_id;
CYPHER - MATCH (x:User)-[:hasInterest]->(i:Interest)<-[:hasInterest]-
(g:Group)-[:creates]->(e:Event)<-[:isAttending]->(y:User)-
[:hasInterest]->(j:Interest) WHERE x.user_id = 2 RETURN j;
```